

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Otoclean**
Unique formula identifier (UFI) 8300-N07H-D00X-GTYM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Ear cleaner for dogs and cats
Professional use

1.3 Details of the supplier of the safety data sheet

Ecuphar NV
Legeweg 157-i
8020 Oostkamp
Belgium

Telephone: +32 (0) 50 314 269
e-mail: info@ecuphar.be
Website: www.ecuphar.be

e-mail (competent person) info@ecuphar.be

Supplier

Ecuphar Veterinaria SLU
C/ Cerdanya, 10-12, pl 6
08173 Sant Cugat del Vallès
Barcelona
España

tel. +34 93 595 50 00
www.ecuphar.es
info@ecuphar.es

1.4 Emergency telephone number

Emergency information service +32 (0) 50 314 269
This number is only available during office hours:
Mon-Fri 09:00 - 17:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of H-phrases: see SECTION 16

2.2 Label elements

Labelling (acc. to GB CLP)

- signal word Warning

- pictograms

GHS07



Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

- hazard statements

H315 Causes skin irritation.
 H319 Causes serious eye irritation.

- precautionary statements

P102 Keep out of reach of children.
 P280 Wear protective gloves/eye protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards
Results of PBT and vPvB assessment

 Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties



 Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$. See (Section 11 & 12).

SECTION 3: Composition/information on ingredients
3.1 Substances

Not relevant (mixture).

3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Remarks
Propane-1,2-diol	CAS No 57-55-6 EC No 200-338-0	50 – 75				
Glycerol	CAS No 56-81-5 EC No 200-289-5	1 – 3				
L-(+)-lactic acid	CAS No 79-33-4 EC No 201-196-2 Index No 607-743-00-5	1 – 3	Skin Corr. 1C / H314 Eye Dam. 1 / H318 EUH071			
Salicylic acid	CAS No 69-72-7 EC No 200-712-3 Index No 607-732-00-5	0.1 – 0.25	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Repr. 2 / H361d			

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Name of sub-stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Salicylic acid	CAS No 69-72-7 EC No 200-712-3	-	-	891 mg/kg	oral

Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. Call a POISON CENTER/doctor.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray; Dry extinguishing powder; Carbon dioxide (CO₂);
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- specific designs for storage rooms or vessels

- storage temperature

Recommended storage temperature: 15 – 25 °C

- packaging compatibilities

Keep only in original container.

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

7.3 Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
GB	glycerol	56-81-5	WEL		10			mist	EH40/2005
GB	propane-1,2-diol	57-55-6	WEL		10			particle	EH40/2005
GB	propane-1,2-diol	57-55-6	WEL	150	474			vp	EH40/2005

Notation

mist as mists

particle as airborne particles

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

vp as vapours and particulates

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Propane-1,2-diol	57-55-6	DNEL	168 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Propane-1,2-diol	57-55-6	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Propane-1,2-diol	57-55-6	DNEL	50 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Propane-1,2-diol	57-55-6	DNEL	10 mg/m ³	human, inhalatory	consumer (private households)	chronic - local effects
Glycerol	56-81-5	DNEL	229 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Glycerol	56-81-5	DNEL	220 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Glycerol	56-81-5	DNEL	132 mg/m ³	human, inhalatory	consumer (private households)	chronic - local effects
Salicylic acid	69-72-7	DNEL	5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Salicylic acid	69-72-7	DNEL	5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Salicylic acid	69-72-7	DNEL	2.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Salicylic acid	69-72-7	DNEL	4 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Salicylic acid	69-72-7	DNEL	1 mg/kg	human, dermal	consumer (private)	chronic - systemic

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			bw/day		households)	effects
Salicylic acid	69-72-7	DNEL	1 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Salicylic acid	69-72-7	DNEL	4 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Propane-1,2-diol	57-55-6	PNEC	183 mg/l	aquatic organisms	water	intermittent release
Propane-1,2-diol	57-55-6	PNEC	260 mg/l	aquatic organisms	freshwater	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	26 mg/l	aquatic organisms	marine water	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	20,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	572 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	57.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	50 mg/kg	terrestrial organisms	soil	short-term (single instance)
Glycerol	56-81-5	PNEC	8.85 mg/l	aquatic organisms	water	intermittent release
Glycerol	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
Glycerol	56-81-5	PNEC	0.088 mg/l	aquatic organisms	marine water	short-term (single instance)
Glycerol	56-81-5	PNEC	3.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.33 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)
Glycerol	56-81-5	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Salicylic acid	69-72-7	PNEC	1 mg/l	aquatic organisms	water	intermittent release
Salicylic acid	69-72-7	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Salicylic acid	69-72-7	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Salicylic acid	69-72-7	PNEC	162 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Salicylic acid	69-72-7	PNEC	1.42 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Salicylic acid	69-72-7	PNEC	0.142 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Salicylic acid	69-72-7	PNEC	0.166 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation. Provide eyewash stations and safety showers at the workplace.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection
 Chemical protective clothing.

Hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0.38 mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

With normal use not required.

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - colourless - light yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>100 °C
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Lower and upper explosion limit	LEL: 2.7 vol% / UEL: 19 vol% calculated value, referring to a component of the mixture
Flash point	>100 °C at 1 atm
Auto-ignition temperature	>200 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	no data available
pH (value)	3 – 4.5 (20 °C)
Kinematic viscosity	not determined
Solubility	not determined

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	1.05 – 1.06 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Salicylic acid	69-72-7	oral	891 mg/kg

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Propane-1,2-diol	57-55-6	oral	LD50	22,000 mg/kg	rat
Propane-1,2-diol	57-55-6	dermal	LD50	>2,000 mg/kg	rabbit
Glycerol	56-81-5	oral	LD50	27,200 mg/kg	rat
Glycerol	56-81-5	inhalation: dust/mist	LC50	>5,850 mg/m ³ /4h	rat
L-(+)-lactic acid	79-33-4	oral	LD50	3,543 mg/kg	rat
L-(+)-lactic acid	79-33-4	inhalation: dust/mist	LC50	>7.94 mg/l/4h	rat
L-(+)-lactic acid	79-33-4	dermal	LD50	>2,000 mg/kg	rabbit
Salicylic acid	69-72-7	oral	LD50	891 mg/kg	rat
Salicylic acid	69-72-7	dermal	LD50	>2,000 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$. Currently under evaluation in an EU legislative process due to explicit concerns for possible endocrine disrupting properties.

Endocrine Disruptor lists				
Name of substance	CAS No	Endocrine disruptor for human health	Endocrine disruptor for the environment	Listed in
Salicylic acid	69-72-7	yes		List III

Legend

List III Substances considered, by the evaluating National Authority, to have endocrine disrupting properties

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Propane-1,2-diol	57-55-6	LC50	40,613 mg/l	fish	96 h
Propane-1,2-diol	57-55-6	ErC50	34,100 mg/l	algae	48 h
Glycerol	56-81-5	LC50	54,000 mg/l	fish	96 h
L-(+)-lactic acid	79-33-4	EC50	130 mg/l	aquatic invertebrates	48 h
L-(+)-lactic acid	79-33-4	ErC50	3.5 g/l	algae	72 h
L-(+)-lactic acid	79-33-4	NOEC	>533 mg/l	algae	72 h
Salicylic acid	69-72-7	LC50	1,370 mg/l	fish	96 h
Salicylic acid	69-72-7	EC50	870 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Propane-1,2-diol	57-55-6	NOEC	13,020 mg/l	aquatic invertebrates	7 d
L-(+)-lactic acid	79-33-4	EC50	>88.2 mg/l	microorganisms	3 h
L-(+)-lactic acid	79-33-4	NOEC	≥ 88.2 mg/l	microorganisms	3 h
Salicylic acid	69-72-7	LC50	1,853 mg/l	fish	24 h
Salicylic acid	69-72-7	EC50	380 mg/l	microorganisms	16 h
Salicylic acid	69-72-7	NOEC	10 mg/l	aquatic invertebrates	21 d
Salicylic acid	69-72-7	growth (EbCx) 10%	140 mg/l	microorganisms	16 h

12.2 Persistence and degradability

Data are not available.

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

 Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

 Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$. Currently under evaluation in an EU legislative process due to explicit concerns for possible endocrine disrupting properties.

Endocrine Disruptor lists				
Name of substance	CAS No	Endocrine disruptor for human health	Endocrine disruptor for the environment	Listed in
Salicylic acid	69-72-7	yes		List III

Legend

List III Substances considered, by the evaluating National Authority, to have endocrine disrupting properties

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | |
|---|---|
| 14.1 UN number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Maritime transport in bulk according to IMO instruments | No data available. |

Additional information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Salicylic acid	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

None of the ingredients are listed.

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name	Name acc. to inventory	Conditions of restriction	No
Otoclean	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3

Legend

R3 1. Shall not be used in:

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Legend

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
- or even sucking the wick of lamps
 - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
- (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Otoclean

Version number: 1.0

Date of compilation: 2024-11-26

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.